Volume 193, Number 1 January 2001

Editorial

The role of practising pathologists in the generation of novel and original observations: A. J. Cochran 1

Review Article

The biology and tumour-related properties of monocyte tissue factor: B. A. Lwaleed, P. S. Bass and A. J. Cooper 3

Original Articles

Expression of gp100, MART-1, tyrosinase and S100 in paraffin-embedded primary melanomas and locoregional, lymph node and visceral metastases: implications for diagnosis and immunotherapy: T. J. de Vries, M. Smeets, R. de Graaf, K. Hou-Jensen, E. B. Bröcker, N. Renard, A. M. Eggermont, G. P. van Muijen and D. J. Ruiter 13

Expression of telomerase genes correlates with telomerase activity in human colorectal carcogenesis: P. Yan, E. P. Saraga, H. Bouzourene, F. T. Bosman and J. Benhattar 21

Monoclonality in normal epithelium and in hyperplastic and neoplastic lesions of the breast: R. Diallo, K. Schaefer, C. Poremba, N. Shivazi, V. Willmann, H. Buerger, B. Dockhorn-Dworniczak and W. Boecker 27

Nuclear cytometric changes in breast carcinogenesis: E. M. Mommers, N. Poulin, J. Sangulin, C. M. Meijer, J. A. Baak and P. J. van Diest 33

Differences in genetic alterations between primary lobular and ductal breast cancers detected by comparative genomic hybridization: K. Günther, S. Merkelbach-Bruse, B. K. Amo-Takyi, S. Handt, W. Schröder and L. Tietze 40

Ki-67 immunoquantitation in cervical intraepithelial neoplasia (CIN): an accurate marker for grading: A. J. Kruse, J. A. Baak, P. C. de Bruin, M. Jiwa, W. P. Snijders, P. J. Boodt, G. Fons, P. H. Houben and H. S. The 48

Association of allelic loss at FH1T locus and p53 alterations with tumour kinetics and chromosomal instability in non-small cell lung carcinomas (NSCLCs): G. A. Garinis, V. G. Gorgoulis, G. Mariatos, P. Zacharatos, A. Kotsinas, T. Liloglou, P. Foukas, P. Kanavaros, N. G. Kastrinakis, T. Vassilakopoulos, T. Vogiatzi, J. K. Field and C. Kittas 55

Mapping of resection margins of oral cancer for p53 overexpression and chromosome instability to detect residual (pre)malignant cells: P.-P. G. van der Toorn, J. A. Veltman, F. J. Bot, J. A. de Jong, J. J. Manni, F. S. Ramaekers and A. N. Hopman 66

Detection of differentially expressed genes in prostate cancer by combining suppression subtractive hybridization and cDNA library array: K. P. Porkka and T. Visakorpi 73

Increased expression of galectin-1 in carcinoma-associated stroma predicts poor outcome in prostate carcinoma patients: F. A. van den Brûle, D. Waltregny and V. Castronovo 80

The detection of Tel-TrkC chimeric transcripts is more specific than TrkC immunoreactivity for the diagnosis of congenital fibrosarcoma: P. Dubus, J. M. Coindre, A. Groppi, H. Jouan, J. Ferrer, C. Cohen, J. Rivel, M. C. Copin, J. P. Leroy, A. de Muret and J. P. Merilo 88

Expression of mutant nuclear β-catenin correlates with noninvasive hepatocellular carcinoma, absence of portal vein spread and good prognosis: T. Mao, J. Chu, Y. Jeng, P. Lai and H. Hsu 95

Monocyte chemotactic proteins-1, 2 and 3 are distinctively expressed in portal tracts and granulomata in primary biliary cirrhosis: implications for pathogenesis: K. Tsuneyama, K. Harada, M. Yasoshima, K. Hiramatsu, C. R. Mackay, I. R. Mackay, E. M. Gershwin and Y. Nakanuma 102

Apoptosis in rheumatoid arthritis-expression of Fas, Fas-L, p53 and Bcl-2 in rheumatoid synovial tissues: C. Chou, J. Yang and M. Lee 110

Antibodies to Desmoglein 1 and 3, but not to BP180, induce blisters in human skin grafted onto SCID mice: D. Zillikens, E. Schmidt, S. Reimer, I. Chimanovitch, K. Hardt-Weinelt, C. Rose, E. B. Bröcker, M. Koch and W. H. Boehncke 117

Abnormal vitamin B6 metabolism in alkaline phosphate knockout mice causes multiple abnormalities, but not the impaired bone mineralization: S. Narisawa, C. Wennberg and J. L. Millan 125

Expression of transmembrane serine protease TMPRSS2 in mouse and human tissues: M. H. Vaarala, K. S. Porvari, S. Kellokumpu, A. P. Kyllonen and P. T. Vihko 134

Volume 193, Number 1 January 2001

Editorial

The role of practising pathologists in the generation of novel and original observations: A. J. Cochran 1

Review Article

The biology and tumour-related properties of monocyte tissue factor: B. A. Lwaleed, P. S. Bass and A. J. Cooper 3

Original Articles

Expression of gp100, MART-1, tyrosinase and S100 in paraffin-embedded primary melanomas and locoregional, lymph node and visceral metastases: implications for diagnosis and immunotherapy: T. J. de Vries, M. Smeets, R. de Graaf, K. Hou-Jensen, E. B. Bröcker, N. Renard, A. M. Eggermont, G. P. van Muijen and D. J. Ruiter 13

Expression of telomerase genes correlates with telomerase activity in human colorectal carcogenesis: P. Yan, E. P. Saraga, H. Bouzourene, F. T. Bosman and J. Benhattar 21

Monoclonality in normal epithelium and in hyperplastic and neoplastic lesions of the breast: R. Diallo, K. Schaefer, C. Poremba, N. Shivazi, V. Willmann, H. Buerger, B. Dockhorn-Dworniczak and W. Boecker 27

Nuclear cytometric changes in breast carcinogenesis: E. M. Mommers, N. Poulin, J. Sangulin, C. M. Meijer, J. A. Baak and P. J. van Diest 33

Differences in genetic alterations between primary lobular and ductal breast cancers detected by comparative genomic hybridization: K. Günther, S. Merkelbach-Bruse, B. K. Amo-Takyi, S. Handt, W. Schröder and L. Tietze 40

Ki-67 immunoquantitation in cervical intraepithelial neoplasia (CIN): an accurate marker for grading: A. J. Kruse, J. A. Baak, P. C. de Bruin, M. Jiwa, W. P. Snijders, P. J. Boodt, G. Fons, P. H. Houben and H. S. The 48

Association of allelic loss at FH1T locus and p53 alterations with tumour kinetics and chromosomal instability in non-small cell lung carcinomas (NSCLCs): G. A. Garinis, V. G. Gorgoulis, G. Mariatos, P. Zacharatos, A. Kotsinas, T. Liloglou, P. Foukas, P. Kanavaros, N. G. Kastrinakis, T. Vassilakopoulos, T. Vogiatzi, J. K. Field and C. Kittas 55

Mapping of resection margins of oral cancer for p53 overexpression and chromosome instability to detect residual (pre)malignant cells: P.-P. G. van der Toorn, J. A. Veltman, F. J. Bot, J. A. de Jong, J. J. Manni, F. S. Ramaekers and A. N. Hopman 66

Detection of differentially expressed genes in prostate cancer by combining suppression subtractive hybridization and cDNA library array: K. P. Porkka and T. Visakorpi 73

Increased expression of galectin-1 in carcinoma-associated stroma predicts poor outcome in prostate carcinoma patients: F. A. van den Brûle, D. Waltregny and V. Castronovo 80

The detection of Tel-TrkC chimeric transcripts is more specific than TrkC immunoreactivity for the diagnosis of congenital fibrosarcoma: P. Dubus, J. M. Coindre, A. Groppi, H. Jouan, J. Ferrer, C. Cohen, J. Rivel, M. C. Copin, J. P. Leroy, A. de Muret and J. P. Merilo 88

Expression of mutant nuclear β-catenin correlates with noninvasive hepatocellular carcinoma, absence of portal vein spread and good prognosis: T. Mao, J. Chu, Y. Jeng, P. Lai and H. Hsu 95

Monocyte chemotactic proteins-1, 2 and 3 are distinctively expressed in portal tracts and granulomata in primary biliary cirrhosis: implications for pathogenesis: K. Tsuneyama, K. Harada, M. Yasoshima, K. Hiramatsu, C. R. Mackay, I. R. Mackay, E. M. Gershwin and Y. Nakanuma 102

Apoptosis in rheumatoid arthritis-expression of Fas, Fas-L, p53 and Bcl-2 in rheumatoid synovial tissues: C. Chou, J. Yang and M. Lee 110

Antibodies to Desmoglein 1 and 3, but not to BP180, induce blisters in human skin grafted onto SCID mice: D. Zillikens, E. Schmidt, S. Reimer, I. Chimanovitch, K. Hardt-Weinelt, C. Rose, E. B. Bröcker, M. Koch and W. H. Boehncke 117

Abnormal vitamin B6 metabolism in alkaline phosphate knockout mice causes multiple abnormalities, but not the impaired bone mineralization: S. Narisawa, C. Wennberg and J. L. Millan 125

Expression of transmembrane serine protease TMPRSS2 in mouse and human tissues: M. H. Vaarala, K. S. Porvari, S. Kellokumpu, A. P. Kyllonen and P. T. Vihko 134

Volume 193, Number 2 February 2001

Editorial

Lymphangiogenesis in malignant tumours: does it occur?: R. Clarijs, D. J. Ruiter and R. W. de Waal 143

Original Papers

Localization of vascular endothelial growth factor-D in malignant melanoma suggests a role in tumour angiogenesis: M. G. Achen, R. A. Williams, M. P. Minekus, G. E. Thornton, K. Stenvers, P. W. Rogers, F. Lederman, S. Roufail and S. A. Stacker 147

Comparative analysis of basaloid and typical squamous cell carcinoma of the oesophagus: a molecular biological and immunohistochemical study: T. Owonikoko, C. Loberg, H. E. Gabbert and M. Sarbia 155

Somatic mutations in the death domain of the Fas (*Apo-1/CD95*) gene in gastric cancer: W. S. Park, R. R. Oh, Y. S. Kim, J. Y. Park, S. H. Lee, M. S. Shin, S. Y. Kim, P. J. Kim, H. K. Lee, N. J. Yoo and J. Y. Lee 162

Clinicopathological evaluation of CDw75 antigen expression in patients with gastric carcinoma: G. Ö. Elpek, T. Gelen, G. Karpuzoğlu, T. Karpuzoğlu and N. Keles 169

Glyco- and immunohistochemical refinement of the differential diagnosis between mesothelioma and metastatic carcinoma and survival analysis of patients: K. Kayser, G. Bohm, S. Blum, M. Beyer, S. Zink, S. André and H. Gabius 175

Coexpression of tenascin-C and vimentin in human breast cancer cells indicates pheno-typic transdifferentiation during tumour progression: N. Dandachi, C. Hauser-Kronberger, E. Moré, B. Wiesener, G. W. Hacker, O. Dietze and G. Wirl 181

An association between cartilaginous tumours and breast cancer in the national pathology registration in the Netherlands points towards a possible genetic trait: A. E. Odink, C. J. van Asperen, J. P. van Vandenbroucke, A. M. Cleton-Jansen and P. W. Hogendoorn 190

K-ras mutations in endometrial carcinomas with microsatellite instability: H. Lagarda, L. Catasus, R. Arguelles, X. Matias-Guiu and J. Prat 193

Primary effusion lymphoma in HIV-infected patients with multicentric Castleman's disease: V. Ascoli, S. Signoretti, A. Onetti-Muda, E. Pescarmona, C. Della-Rocca, F. Nardi, C. M. Mastroianni, R. Gastaldi, A. Pistilli, G. Gaidano, A. Carbone and F. Lo 200

PCR and *in situ* hybridization studies of telomerase subunits in human non-neoplastic livers: K. Harada, M. Yasoshima, S. Ozaki, T. Sanzen and Y. Nakanuma 210

Frequent molecular identification of *Campylobacter* but not *Helicobacter* genus in bile and biliary epithelium in hepatolithiasis: K. Harada, S. Ozaki, N. Kono, K. Tsuneyama, K. Katayanagi, K. Hiramatsu and Y. Nakanuma 218

Renal expression of endothelial and inducible nitric oxide synthase, and formation of peroxynitrite-modified proteins and reactive oxygen species in Wegener's granulomatosis: P. Heeringa, M. Bijl, A. de Jager-Krikken, A. Zandvoort, G. Dijkstra, H. Moshage, J. C. Tervaert, A. G. Tiebosch, C. M. Kallenberg and H. van Goor 224

Increased expression of matrix metalloproteinase-9 in nasal polyps: E. Lechapt-Zalcman, A. Coste, M. P. d'Ortho, E. Frisdal, A. Harf, C. Lafuma and E. Escudier 233

Increase of RM3/1-positive macrophages in radiation-induced oral mucositis: J. Handschel, C. Sunderkötter, F. Prott, U. Meyer, B. Kruse-Lösler and U. Joos 242

***In situ* demonstration of phosphorylated c-jun and p38 map kinase in epidermal keratinocytes following ultraviolet B irradiation of human skin:** R. Pfundt, I. van Vlijmen-Willems, M. Bergers, M. Wingens, W. Cloin and J. Schalkwijk 248

Distribution of fibronectin isoforms in human renal disease: A. I. Van Vliet, H. J. Baelde, L. J. Vleming, E. de Heer and J. A. Bruijn 256

Adventitial infiltrates associated with advanced atherosclerotic plaques: structural organization suggests generation of local humoral immune responses: M. A. Houtkamp, O. J. de Boer, C. M. van der Loos, A. C. van der Wal and A. E. Becker 263

Apolipoprotein A-1 derived amyloid in atherosclerotic plaques of the human aorta: G. I. Mucchiano, B. Häggqvist, K. Sletten and P. Westermark 270

Book reviews 276

Erratum 279

Announcements 280

Volume 193, Number 3 March 2001

Editorial

Serrated route to colorectal cancer: back street or super highway?: J. R. Jass **283**

Original Papers

Colorectal carcinoma associated with serrated adenoma – prevalence, histological features, and prognosis: M. J. Mäkinen, S. M. C. George, P. Jernvall, J. Mäkelä, P. Vihko and T. J. Karttunen **286**

Human papillomavirus variants and squamous neoplasia of the cervix: A. Giannoudis and C. S. Herrington **295**

Molecular changes in the Ki-*ras* and APC genes in colorectal adenomas and carcinomas arising in the same patient: N. P. Zauber, M. S. Solitare, S. P. Marotta, A. G. Zauber and D. T. Bishop **303**

E-cadherin gene mutations in human intrahepatic cholangiocarcinoma: K. Endo, K. Ashida, N. Miyake and T. Terada **310**

Histological and immunological parameters to predict treatment outcome of *Helicobacter pylori* eradication in low-grade gastric MALT lymphoma: D. de Jong, F. Vyth-Dreese, T. Dellemijn, N. Verra, A. Ruskoné-Fourmestraux, A. Lavergne-Slove, G. Hart and H. Boot **318**

VEGF-B expression in human primary breast cancers is associated with lymph node metastasis but not angiogenesis: S. P. Gunningham, M. J. Currie, C. Han, B. A. Robinson, P. A. E. Scott, A. L. Harris and S. B. Fox **325**

Subgroups of non-atypical hyperplasia of breast defined by proliferation of oestrogen receptor positive cells: M. Iqbal, M. P. A. Davies, B. S. Shoker, C. Jarvis, D. R. Subson and J. P. Sloane **333**

Mucin gene transcripts in benign and borderline mucinous tumours of the ovary: an *in situ* hybridization study: F. Boman, M.-P. Buisine, A. Wacrenier, D. Querleu, J.-P. Aubert and N. Porchet **339**

CD44s and CD44v6 expression in localized T1-T2 conventional renal cell carcinomas: L. Daniel, E. Lechevallier, R. Giorgi, V. Lindner, M. de Fromont, A. Vieillefond, C. Coulange and D. F. Branger **345**

Limiting the diagnosis of atypical small glandular proliferations in needle biopsies of the prostate by the use of immunohistochemistry: B. Helpap, J. Köllermann and U. Oehler **350**

Chondrosarcoma is not characterized by detectable telomerase activity: J. V. M. G. Bovée, L. J. C. M. van den Broek, A.-M. Cleton-Jansen and P. C. W. Hogendoorn **354**

Localization of androgen receptor expression in human bone marrow: A. Mantalaris, N. Panoskaltsis, Y. Sakai, P. Bourne, C. Chang, E. M. Messing and J. H. D. Wu **361**

Endothelial capillaries chemotactically attract tumour cells: C. von Bülow, W. Hayen, A. Hartmann, W. M. Klieser, B. Ailolio and V. Nehls **367**

Detection of apoptotic cells in archival tissue from diffuse astrocytomas using a monoclonal antibody to single-stranded DNA: P. A. Korkolopoulou, A. E. Konstantinidou, E. S. Patsouris, P. N. Christodoulou, E. A. Thomas-Tsagli and P. S. Davaris **377**

$CD8^+$ T cells infiltrating into bile ducts in biliary atresia do not appear to function as cytotoxic T cells: a clinicopathological analysis: A. F. K. U. Ahmed, H. Ohtani, M. Nio, N. Funaki, S. Shimaoka, H. Nagura and R. Ohi **383**

Smooth muscle inclusion bodies in slow transit constipation: C. H. Knowles, C. D. Nickols, S. M. Scott, N. I. Bennett, R. B. de Oliveira, L. Chimelli, R. Feakins, N. S. Williams and J. E. Martin **390**

Smooth muscle cell modulation and cytokine overproduction in varicose veins. An *in situ* study: C. Badier-Commander, A. Couvelard, D. Henin, T. Verbeuren, J.-B. Michel and M.-P. Jacob **398**

The effect of myocardial bridging of the coronary artery on vasoactive agents and atherosclerosis localization: T. Masuda, Y. Ishikawa, Y. Akasaka, K. Itoh, H. Kiguchi and T. Ishii **408**

A comparative study of morphological changes in spontaneously hypertensive rats and normotensive Wistar Kyoto rats treated with an angiotensin-converting enzyme inhibitor or a calcium-channel blocker: F. H. Saleh and A. R. Jurjus **415**

Letter to the Editor

C9 immunohistology in detection of myocardial infarction: A. J. Howie **421**

Announcements **422**

Volume 193, Number 4 April 2001

Editorial

Tumour versus patient: vascular and tumour survival versus prognosis: W. D. Thompson 425

Review article

The Hedgehog signalling pathway and cancer: G. Saldanha 427

Original Papers

Retention of the expression of E-cadherin and catenins is associated with shorter survival in grade III ductal carcinoma of the breast: C. E. Gillett, D. W. Miles, K. Ryder, D. Skilton, R. D. Liebman, R. J. Springall, D. M. Barnes and A. M. Hanby 433

Early distant relapse in 'node-negative' breast cancer patients is not predicted by occult axillary lymph node metastases, but by the features of the primary tumour: C. Colpaert, P. Vermeulen, W. Jeuris, P. van Beest, G. Goovaerts, J. Weyler, P. Van Dam, L. Dirix and E. Van Marck 442

Expression of vascular endothelial growth factor receptor 3 in blood and lymphatic vessels of lung adenocarcinoma: T. Niki, S. Iba, T. Yamada, Y. Matsuno, B. Enholm and S. Hirohashi 450

Decreased expression of TGF-β cell surface receptors during progression of human oral squamous cell carcinoma: I. C. Paterson, J. B. Matthews, S. Huntley, C. M. Robinson, M. Fahey, E. K. Parkinson and S. S. Prime 458

Vascular endothelial growth factor is an autocrine growth factor in human malignant mesothelioma: L. Strizzi, A. Catalano, G. Vianale, S. Orecchia, A. Casalini, G. Tassi, R. Puntoni, L. Mutti and A. Procopio 468

Differentiation of liver cell adenomas from well-differentiated hepatocellular carcinomas by comparative genomic hybridization: L. Wilkens, M. Bredt, P. Flemming, T. Becker, J. Klempnauer and H. H. Kreipe 476

Nuclear localization of β-catenin is an important prognostic factor in hepatoblastoma: W. S. Park, R. R. Oh, J. Y. Park, P. J. Kim, M. S. Shin, J. H. Lee, H. S. Kim, S. H. Lee, S. Y. Kim, Y. G. Park, W. G. An, H. S. Kim, J. J. Jang, N. J. Yoo and J. Y. Lee 483

CDKN2A/p16 inactivation is related to pituitary adenoma type and size: N. Seemann, D. Kuhn, C. Wrocklage, K. Keyvani, W. Hackl, M. Buchfelder, R. Fahlbusch and W. Paulus 491

Relative distribution of tumour cells and reactive cells in follicular lymphoma: W. Su, J. Spencer and A. C. Wotherspoon 498

Gain-of-function mutation at the extracellular domain of KIT in gastrointestinal stromal tumors: S. Hirota, T. Nishida, K. Isozaki, M. Taniguchi, J. Nakamura, T. Okazaki and Y. Kitamura 505

Localized and systemic scleroderma show different histological responses to methotrexate therapy: M. M. B. Seyger, F. H. J. van den Hoogen, I. M. J. J. van Vlijmen-Willems, P. C. M. van de Kerkhof and E. M. G. J. de Jong 511

Differences in susceptibility to colonic stem cell somatic mutation in three strains of mice: M. Kuraguchi, H. Cook, E. D. Williams and G. A. Thomas 517

Differential expression of cell death regulators in response to thapsigargin and adriamycin in Bcl-2 transfected DU145 prostatic cancer cells: K. S. Chaudhary, P. D. Abel, G. W. H. Stamp and E. Lalani 522

Effect of inflammatory cytokines and growth factors on tumour cell adhesion to the peritoneum: M. E. E. van Rossen, L. J. Hofland, M. P. van den Tol, P. M. van Koetsveld, J. Jeekel, R. L. Marquet and C. H. J. van Eijck 530

Inhibition of bleomycin-induced pulmonary fibrosis in mice by the matrix metalloproteinase inhibitor batimastat: M. Corbel, S. Caulet-Maugendre, N. Germain, S. Molet, V. Lagente and E. Boichot 538

Characterization of ultrastructure and its relationship with DNA fragmentation in Fas-induced apoptosis of cultured cardiac myocytes: G. Takemura, S. Kato, T. Aoyama, Y. Hayakawa, M. Kanoh, R. Maruyama, M. Arai, K. Nishigaki, S. Minatoguchi, K. Fukuda, T. Fujiwara and H. Fujiwara 546

Southern analysis of mitochondrial DNA in cortical bone of elderly patients undergoing knee and hip arthroplasty: S. S. Varanasi and H. K. Datta 557

Announcements 563